

moda



62" x 73"

Flea Market Mix

Featuring the Flea Market Mix Collection
by
Cathe Holden

Flea Market Mix

by Cathe Holden

Pattern Notes

Finished Quilt Size: 62" x 73"

Finished Block Size: 6", 9", & 12"

Backing Required: 4 yards

Batting Required: 70" x 81" piece of batting

Cutting Instructions

(HST = Half Square Triangle, WOF = Width of Fabric)



Fabric A: 7350 11D - 3/8 yard

- Cut (1) 6 1/2" x WOF strip. Subcut (1) 6 1/2" x 12 1/2" rectangle and (1) 5 1/2" x 24 1/2" rectangle.
- Cut (1) 5" x WOF strip. Subcut (1) 5" x 26" rectangle.




Fabric B: 7351 12D - 1/2 yard

- Cut (2) 6 1/2" x WOF strips. Subcut:
 - From the 1st strip cut (1) 6 1/2" x 27 1/2" rectangle and (1) 5" x 9 1/2" rectangle.
 - From the 2nd strip cut (1) 6 1/2" x 12 1/2" rectangle and (1) 2" x 24 1/2" rectangle.



Fabric C: 7353 11D - 1/4 yard

- Cut (1) 5" x WOF strip. Subcut (1) 5" x 12 1/2" rectangle and (1) 3 1/2" x 26" rectangle.
- Cut (1) 2 1/2" x WOF strip. Subcut (1) 2" x 20" rectangle and (1) 2 1/2" x 17" rectangle.



Fabric D: 7354 11D - 1/4 yard

- Cut (1) 6 7/8" x WOF strip. Subcut (2) 6 7/8" x 6 7/8" squares.



Fabric E: 7354 13D - 3/8 yard

- Cut (1) 7 3/4" x WOF strip. Subcut the following in the order it is listed:


- Cut (1) 6 7/8" x 6 7/8" square
- Cut (1) 6 1/2" x 6 1/2" square
- Cut (1) 7 3/4" x 3 7/8" rectangle; subcut into (2) 3 7/8" x 3 7/8" squares.
- Cut the remainder of the 7" strip into (2) 3 1/2" x WOF strips. Subcut (11) 3 1/2" squares.

- Cut (1) 3 7/8" x WOF strip. Subcut (4) 3 7/8" x 3 7/8" squares



Fabric F: 7354 15D - 3/8 yard

- Cut (1) 8" x WOF strip. Subcut (1) 8" x 12 1/2" rectangle and (1) 6 1/2" x 9 1/2" rectangle.
- Cut (1) 3 1/2" x WOF strip. Subcut (1) 3 1/2" x 20" rectangle.



Fabric G: 7354 17D - 1 yard (includes binding)

- Cut (1) 6 1/2" x WOF strip. Subcut:
 - (3) 6 1/2" x 6 1/2" squares
 - (2) 3 7/8" x 3 7/8" squares
- Cut (1) 3 7/8" x WOF strip. Subcut:
 - (10) 3 7/8" x 3 7/8" squares
- Cut (8) 2 1/2" x WOF strips for binding.



Fabric H: 7355 11D - 3/4 yard

- Cut (4) 4 1/2" x WOF strips for Border 2.
- Cut (1) 3 1/2" x WOF strip. Subcut:
 - (2) 3 1/2" x 9 1/2" rectangle
 - (1) 3 1/2" x 8 1/2" rectangle
 - (1) 2 1/2" x 11" rectangle




Fabric I: 7355 14D - (1) FQ

- Cut (1) 7" x 21" strip. Subcut the following in the order it is listed:
 - (1) 6 7/8" x 6 7/8" square.
 - Cut the remainder of the strip into (2) 3 1/2" x WOF strips. Subcut (6) 3 1/2" x 3 1/2" squares.
- Cut (1) 3 1/2" x 21" strip. Subcut (4) 3 1/2" x 3 1/2" squares.



Fabric J: 7356 11D - (1) FQ

- Cut (1) 7" x 21" strip. Subcut the following in the order it is listed:
 - (1) 6 7/8" x 6 7/8" square.
 - Cut the remainder of the strip into (2) 3 1/2" x WOF strips. Subcut (6) 3 1/2" x 3 1/2" squares.
- Cut (1) 3 7/8" x 21" strip. Subcut (2) 3 7/8" x 3 7/8" squares.



Fabric K: 7356 15D - (1) FQ

- Cut (1) 3 7/8" x 21" strip. Subcut:
 - (2) 3 7/8" x 3 7/8" squares
 - (2) 3 1/2" x 3 1/2" squares
- Cut (2) 3 1/2" x 21" strip. Subcut:
 - (8) 3 1/2" x 3 1/2" squares
 - (4) 3 1/2" x 2" rectangles



Fabric L: 7356 21D - (1) FQ

- Cut (3) 3 1/2" x 21" strips. Subcut:
 - (1) 3 1/2" x 9 1/2" rectangle
 - (1) 3 1/2" x 9" rectangle
 - (8) 3 1/2" x 3 1/2" squares



Fabric M: 7356 23D - (1) FQ

- Cut (2) 3 7/8" x 21" strips. Subcut:
 - (6) 3 7/8" x 3 7/8" squares
 - (2) 3 1/2" x 3 1/2" squares
- Cut (1) 2" x 21" strip. Subcut (4) 2" x 3 1/2" rectangles.



Fabric N: 7356 25D - 3/4 yard


- Cut (1) 9" x WOF strip. Subcut the following in the order it is listed:
 - (1) 6 7/8" x 6 7/8" square.
 - (1) 3 7/8" x 9" rectangle, then subcut (2) 3 7/8" x 3 7/8" squares.
 - Use the remainder of the strip to cut (2) 4 1/2" x WOF strips measuring approximately 30" long. Set aside for Border 2.
- Cut (2) 4 1/2" x WOF strips for Border 2.
- Cut (1) 3 1/2" x WOF strip. Subcut (9) 3 1/2" x 3 1/2" squares.



Fabric O: 7357 11D - 1 yard

- Cut (2) 3 1/2" x WOF strips. Subcut (21) 3 1/2" x 3 1/2" squares.
- Cut (1) 2" x WOF strip. Subcut (4) 2" x 3 1/2" rectangles.

- Cut (1) 8" x WOF strips. Subcut:
 - (4) 7 1/4" x 7 1/4" squares.
 - (4) 2" x 9 1/2" rectangles.
- Cut (1) 4" x WOF strip. Subcut:
 - (2) 3 7/8" x 3 7/8" squares.
 - Use the remainder of the strip to cut (2) 2" x 24" strips. Set aside for Border 1.
- Cut (6) 2" x WOF strips for Border 1.



Fabric P: 7357 12D - 1/2 yard

- Cut (1) 3 7/8" x WOF strip. Subcut (8) 3 7/8" x 3 7/8" squares.
- Cut (2) 3 1/2" x WOF strips. Subcut:
 - (17) 3 1/2" x 3 1/2" squares.
 - (4) 2" x 3 1/2" rectangles.
- Cut (1) 2" x WOF strip. Subcut (1) 2" x 12 1/2" rectangle.



Fabric Q: 7357 14D - (1) FQ

- Cut (1) 3 7/8" x 21" strip. Subcut (4) 3 7/8" x 3 7/8" squares.
- Cut (3) 3 1/2" x 21" strips. Subcut (12) 3 1/2" x 3 1/2" squares.

Assembly:

Unless otherwise noted, all seams are a scant 1/4".

Block assembly is shown using solid colors. At the end of block assembly, specific block colorways are shown with fabrics labeled as Fabric A-Q. Read all block instructions before beginning, follow diagrams for accurate fabric pairing.

Making the Sawtooth Star Blocks: 12" x 12" finished size

For each Sawtooth Star Block, the following pieces are needed:

- Print - (4) 3 7/8" x 3 7/8" squares and (1) 6 1/2" x 6 1/2" square
- Background - (4) 3 1/2" x 3 1/2" squares and (1) 7 1/4" x 7 1/4" square

Step 1. On the wrong side of the print fabric 3 7/8" x 3 7/8" squares, draw a line from one corner to the opposing corner as shown.




Step 2. Align (2) 3 7/8" x 3 7/8" squares in opposing corners of the background fabric 7 1/4" x 7 1/4" square.




Step 3. Stitch on both sides of the drawn line as shown. Use a rotary cutter to cut along the drawn diagonal lines, separating the two sides.

Press the seams to the print fabric.




Step 4. Align the (2) remaining $3 \frac{7}{8}$ " x $3 \frac{7}{8}$ " squares in the corners of the two triangle units.

Step 5. Stitch on both sides of the drawn line. Use a rotary cutter to cut along the drawn diagonal line as shown.




Press the seams to the print fabric to complete (4) flying geese units. Flying geese units should measure $3 \frac{1}{2}$ " x $6 \frac{1}{2}$ " unfinished.




Step 6. Lay out flying geese units and remaining Sawtooth Star Block units as shown.

Join the pieces to make (3) rows. Arrows shown in the diagram indicate pressing instructions.



Step 7. Join the rows to complete the block. Block should measure $12 \frac{1}{2}$ " x $12 \frac{1}{2}$ ".



Step 8. Use the following color guide to create (4) Sawtooth Star Blocks in (2) colorways.



Fabrics G & O
Make (3)



Fabrics E & O
Make (1)

Making the Nine-Patch Blocks

9 " x 9 " finished size


For each Nine-Patch Block, the following pieces are needed:

- Primary Print – (5) $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " squares
- Accent Print – (4) $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " squares

Step 1. Lay out the squares as shown, alternating between fabrics.

Step 2. Join the squares to make (3) rows. Arrows shown in the diagram indicate pressing instructions.

Step 3. Join the rows to complete the block. Block should measure $9 \frac{1}{2}$ " x $9 \frac{1}{2}$ ".



Step 4. Use the following color guide to create (7) Nine-Patch Blocks in (5) colorways.




Fabrics
E & N
Make (2)



Fabrics
K & O
Make (1)



Fabrics
K & P
Make (1)



Fabrics
I & L
Make (2)



Fabrics
J & Q
Make (1)

Making the Shoo-Fly Blocks


9 " x 9 " finished size

For each Shoo-Fly Block, the following pieces are needed:


- Print – (2) $3 \frac{7}{8}$ " x $3 \frac{7}{8}$ " squares, and (1) $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " square
- Background – (2) $3 \frac{7}{8}$ " x $3 \frac{7}{8}$ " squares, and (4) $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " squares.

Step 1. On the wrong side of each $3 \frac{7}{8}$ " x $3 \frac{7}{8}$ " print square, draw a diagonal line from one corner to the opposing corner.

Step 2. Place each $3 \frac{7}{8}$ " x $3 \frac{7}{8}$ " print square with (1) $3 \frac{7}{8}$ " x $3 \frac{7}{8}$ " background fabric square, right sides together and edges aligned. Stitch a $\frac{1}{4}$ " away from both sides of the drawn diagonal line as shown.




Step 3. Use a rotary cutter to cut along the drawn diagonal lines, separating the two sides.




Press the seams to the print fabric.

Repeat to make (4) matching HTS units measuring $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " unfinished.




Step 4. Lay out the pieces as shown in the diagram. Join the pieces to make (3) rows. Arrows shown in the diagram indicate pressing instructions.

Step 5. Join the rows to complete the block. Block should measure $9 \frac{1}{2}$ " x $9 \frac{1}{2}$ ".



Step 6. Use the following color guide to create (5) Shoo-Fly Blocks in (5) colorways.




Making the Monkey Wrench Blocks

9" x 9" finished size


For each Monkey Wrench Block, the following pieces are needed:

- Print – (2) $3 \frac{7}{8}$ " x $3 \frac{7}{8}$ " squares, and (4) 2 " x $3 \frac{1}{2}$ " rectangles.
- Accent Print – (1) $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " square, (2) $3 \frac{7}{8}$ " x $3 \frac{7}{8}$ " squares and (4) 2 " x $3 \frac{1}{2}$ " rectangles.

Step 1. Following HTS unit assembly instructions provided for the Shoo-Fly Block, make (4) matching HTS units measuring $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " unfinished.



Step 2. Join (1) 2 " x $3 \frac{1}{2}$ " from the print and background fabrics, lengthwise making a $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " rectangle unit.




Press the seam to the print fabric. Repeat to make (4) identical rectangle units.


Step 3. Lay out the pieces as shown in the diagram.

Join the pieces to make (3) rows. Arrows shown in the diagram indicate pressing instructions.

Step 4. Join the rows to complete the block. Block should measure $9 \frac{1}{2}$ " x $9 \frac{1}{2}$ ".



Step 5. Use the following color guide to create (2) Monkey Wrench Blocks in (2) colorways.



Making the Large HTS Blocks

6" x 6" finished size

Step 1. Gather all $6 \frac{7}{8}$ " x $6 \frac{7}{8}$ " print squares. Pair together using the HTS Block colorway diagrams shown.






Step 2. Following HTS unit assembly instructions provided for the Shoo-Fly Block, make a total of (6) large HTS Blocks measuring $6 \frac{1}{2}$ " x $6 \frac{1}{2}$ " unfinished. (Each pair of $6 \frac{7}{8}$ " x $6 \frac{7}{8}$ " squares will make (2) matching HTS blocks.)



Assembling the Quilt Top:

Step 1. Lay out the blocks and cut fabric pieces as shown in the diagram. Diagrams show accurate fabric and size placement. (Please note: The Nine-Patch, Shoo-Fly, and Monkey Wrench Blocks are pressed so that turning the block a quarter-turn will result in seams abutting.)

Step 2. Begin assembling the quilt top in (6) sections as shown. Press seams between two pieced blocks in one direction or press them open backstitching to secure. Press seams joining rectangles and strips in the direction of the unpieced fabric.



Inner Borders:

Join (3) Fabric O 2" x WOF border strips using a straight 1/4" seam. Press the seams open. Repeat to make (2) border strips.

From the long border strips trim:

- Side Inner Borders: (2) 2" x 62 1/2"
- Top/Bottom Inner Borders: (2) 2" x 54 1/2"

Join the Side Inner Borders to the sides of the quilt top. Press toward the border.

Join the Top/Bottom Inner Borders to the top and bottom of the quilt top. Press toward the border.

Outer Borders:

Join (2) Fabric H 4 1/2" x WOF strips using a straight 1/4" seam. Press the seam open. Repeat to make (2) border strips.

From the long border strips trim:

- Side Outer Borders: (2) 4 1/2" x 65 1/2"


Join (1) Fabric N 4 1/2" x WOF strip and (1) Fabric N strip measuring approximately 4 1/2" x 30" using a straight 1/4" seam. Press the seam open. Repeat to make (2) border strips.

From the long border strips trim:

- Top/Bottom Outer Borders: (2) 4 1/2" x 62 1/2"

Join the Side Outer Borders to the sides of the quilt top. Press toward the border.

Join the Top/Bottom Outer Border to the top and bottom of the quilt top. Press toward the border.



Quilt and bind as desired.

Flea Market Mix

Featuring the Flea Market Mix Collection
by
Cathe Holden

moda

Cathe has discovered and collected a vast amount of ephemera over the years such as floral trade cards, handwritten postcards, perforated trading stamps, and ingredient-stained recipe cards.

Flea market shopping has also yielded many other exciting finds for decorating and crafting—delightful old photos, paint by number paintings, vintage quilting and needlework textiles, and delightful sewing notions. Cathe now presents her favorite, visually-rich flea market finds mixed and designed into beautiful Moda Fabrics.

Fabric Requirements



Fabric A
7350 11D
3/8 yard



Fabric B
7351 12D
1/2 yard



Fabric C
7353 11D
1/4 yard




Fabric D
7354 11D
1/4 yard



Fabric E
7354 13D
3/8 yard



Fabric F
7354 15D
3/8 yard



Fabric G
7354 17D
1 yard

(includes binding)



Fabric H
7355 11D
3/4 yard



Fabric I
7355 14D
(1) FQ




Fabric J
7356 11D
(1) FQ




Fabric K
7356 15D
(1) FQ




Fabric L
7356 21D
(1) FQ



Fabric M
7356 23D
(1) FQ




Fabric N
7356 25D
3/4 yard



Fabric O
7357 11D
1 yard



Fabric P
7357 12D
1/2 yard



Fabric Q
7357 14D
(1) FQ

Backing Required: 4 yards

Batting Required: 70" x 81" piece of batting

moda
FABRICS + SUPPLIES

MY.MODAFABRICS.COM
PS SUGGESTED RETAIL \$10.00